

CLASSIC

# BASEOIL COLOR

Natural. Colorful. Extremely Flexible!



The High-End Wood Flooring Oil System  
Offering Unlimited Options



**Berger-Seidle**

*...wood floors deserve the best!*

# CLASSIC BASEOIL COLOR

## A Basis Characterized by High Quality and Universality

This CLASSIC OIL series product combines versatility in application with maximum environmental and consumer protection and occupational safety. Featuring a solid content of 100 vp, a very mild residual VOC and its renewable ingredients made of native oils, CLASSIC BASEOIL COLOR ranks among the most environmentally friendly oil-technique products.

CLASSIC BASEOIL COLOR was designed for easy, uniform application as well as intensive deep penetration. This makes it the perfect basis for oil. On this basis you can:

- a) work in one layer
- b) do the second layer as the top one in oil products (CLASSIC 100PROOIL, CLASSIC HARDOIL)
- c) build up multiple-layer coats with well-proven waterbased finish products

The detailed system configurations and their characteristics are described in more detail overleaf of this booklet. All exact system configurations of oil technique are listed in the module-system table on page 3 of the booklet CLASSIC OIL MODULE SYSTEM.

In all cases we have the typical and much-loved oil look, i.e. grain enhancement and natural wood character. Because of its easy and even spreadability it is the most straightforward coloration technique with most intensive color effects made by Berger-Seidle. To shorten the drying time and to qualitatively improve the job at hand there is available, in case of need, the reactive agent CLASSIC PLUS. This is admixed and stirred in at the ratio 10:1.

## CLASSIC BASEOIL COLOR - Overview of Advantages

### Classic look with charm

- + Decent shine
- + Natural look
- + Accentuation of wood color and grain
- + A touch of tradition
- + Option to intensely shade

### Mechanical-physical properties

- + Toy compliance as per DIN EN 71-3
- + Salvia and sweat compliance as per DIN 53160
- + Slip resistance as per DIN 51130 / BGR 181
- + Reduced edge-bonding and less side-bonding failures
- + Wear resistant surface
- + Impregnates deeply
- + Dirt-repellant
- + Highly elastic
- + Partial repairability (pure oil systems only)
- + Water-vapor impermeable
- + The system can be used very flexibly in 1K and 2K
- + Food certificate acc. to LFGB and (EG) No. 1935/2004

### Environment profile

- + 100 % solids (colorless)
- + Formula on the basis of natural raw materials
- + Renewable raw materials
- + Resource-conserving due to low material consumption (about 20 to 50 g per sq m)
- + Drying with oxygen from air
- + Breathable

### Chemical resistancies (acc to DIN 68 861)...

#### no negative impact by the following household agents...

- |                  |                       |                 |
|------------------|-----------------------|-----------------|
| + Vinegar acid   | + Black tea           | + Ethyl acetate |
| + Lemon acid     | + Black currant juice | + Butter        |
| + Red wine       | + Condensed milk      | + Olive oil     |
| + Beer           | + Water               | + Table salt    |
| + Cola drinks    | + Petrol              | + Onion         |
| + Instant coffee | + Acetone             |                 |

## Colored Floors Achievable ...

Thanks to the factory-colored variant of CLASSIC BASEOIL COLOR a decent up to heavy surface coloration is feasible. This means coloring and oiling in one go. The way of application allows for evenly colored areas. There are around 60 standard and trend color shades available (see color chart at right side). Beyond that, other special shades are available too. Please additionally read our current technical data sheet.



# CLASSIC BASEOIL COLOR

## Standard colors

<b>Natur / Nature</b> <b>Farblos / Colorless</b> KG40 000A DX10	<b>Naturweiss / Natural White</b> KG40 9Q1A DX10	
<b>Pinie / Pine</b> KG40 885A DX10	<b>Zitronengelb / Lemon</b> KG40 112A DX10	<b>Reinweiss / Pure White</b> KG40 910A DX10
<b>Eiche / Oak</b> KG40 8C9A DX10	<b>Rotorange / Red Orange</b> KG40 201A DX10	<b>Kaschmirweiß / Cashmere White</b> KG40 9L4A DX10
<b>Azobe / Azobe</b> KG40 8D1A DX10	<b>Orange / Orange</b> KG40 254A DX10	<b>Schilfgrün / Reed Green</b> KG40 613A DX10
<b>Rauch / Smoke</b> KG40 8C7A DX10	<b>Rot / Red</b> KG40 3D9A DX10	<b>Zementgrau / Cement Grey</b> KG40 733A DX10
<b>Eiche Rustikal / Oak Old</b> KG40 8J8A DX10	<b>Violett / Violet</b> KG40 4B1A DX10	<b>Silbergrau / Silver Grey</b> KG40 701A DX10
<b>Pernambuk / Pernambuco</b> KG40 8J9A DX10	<b>Blau / Blue</b> KG40 5Z3A DX10	<b>Platingrau / Platinum Grey</b> KG40 736A DX10
<b>Teak / Teak</b> KG40 886A DX10	<b>Grün / Green</b> KG40 6Z8A DX10	<b>Grüngrau / Green Grey</b> KG40 6Z6A DX10
<b>Padouk / Bastard Teak</b> KG40 9K0A DX10	<b>Altrosa / Old Pink</b> KG40 314A DX10	<b>Basaltgrau / Basalt Grey</b> KG40 712A DX10
<b>Nussbaum / Walnut</b> KG40 881A DX10	<b>Taubenblau / Dove Blue</b> KG40 514A DX10	<b>Graubraun / Grey Brown</b> KG40 819A DX10
<b>Ebenholz / Ebony</b> KG40 9J3A DX10	<b>Pastelltürkis / Pastel Turquoise</b> KG40 6W0A DX10	<b>Schwarz / Black</b> KG40 905A DX10
<b>Wenge / Wenge</b> KG40 874A DX10	<b>Weinrot / Burgundy</b> KG40 305A DX10	<b>Extraschwarz / Deep Black</b> KG40 460A DX10

The possibilities of printing to reproduce colors are limited. That is why there can be slight differences between the colors printed and the true shades. The shades as pictured were produced on oak. With other woods there may be differences. For this reason always make an original sample for approval.



# CLASSIC BASEOIL COLOR

## Trend colors

<b>Cappuccino / Cappucino</b> KG40 8P4A DX10	<b>Olive</b> KG40 6BMA DX10	<b>Salbei / Salvia</b> KG40 6BKA DX10
<b>Perlweiss / Pearl White</b> KG40 1Q2A DX10	<b>Cape Cod Antique</b> KG407Q1ADX10	<b>Alaska Treibholz / Alaska Driftwood</b> KG40 7Q2A DX10
<b>Vanille / Vanilla</b> KG40 1Q3A DX10	<b>Dünensand / Dune Sand</b> KG40 1Q4A DX10	<b>Karamell / Caramel</b> KG40 8P6A DX10
<b>Gletscher / Glacier</b> KG40 1Q5A DX10	<b>Eisblau / Ice Blue</b> KG40 5Y4A DX10	<b>Lagune / Laguna</b> KG40 5Y7A DX10
<b>Magnolie / Magnolia</b> KG40 3P1A DX10	<b>Latte Macchiato</b> KG40 8P5A DX10	<b>Pink Lady</b> KG40 3P2A DX10
<b>Minze / Mint</b> KG40 6BLA DX10	<b>Karibik / Caribbean</b> KG40 5Y5A DX10	<b>Ozean / Ocean</b> KG40 5Y6A DX10
<b>Weißeiche / White Oak</b> KG40 9R0A DX10	<b>Ultra Weiß / Ultra White</b> KG40 9R9A DX10	



# CLASSIC BASEOIL COLOR SAMPLE SET

The world of colors, applied on oak, beech or maple, convenient and perfectly protected by the BERGER-SEIDLE SYSTAINER®:

Explore the world of colors with our high-quality sample fans on different types of wood. The CLASSIC BASEOIL COLOR SAMPLE SET consists of two exclusive, handmade samples made from white oak, beech or maple. The samples show all CLASSIC BASEOIL COLOR standard and trend colors, for physical visualization and presentation different wooden surfaces. The samples are perfectly protected by the premium BERGER-SEIDLE SYSTAINER® box for a safe transport to customers. Order now and take the chance to perfectly present the world of individual coloration!



# CLASSIC BASEOIL COLOR SAMPLE BOX

The world of colors available in a unique, sample kit, convenient and perfectly protected by the BERGER-SEIDLE SYSTAINER®:

The unique CLASSIC BASEOIL COLOR SAMPLE CASE is an extremely convenient and fully equipped sample kit for the individual and flexible color shade sampling of all CLASSIC BASEOIL COLOR standard and trend colors. The kit contains around 60 color sample cans, plus helpful application tools. The box is made of a solid wood construction, avoiding tilting of cans during transport completely. Existing colors can be presented and new color shades can be designed and created individually. The wooden box is perfectly protected by the matching premium BERGER-SEIDLE SYSTAINER® box for safe transport to customers. Order now and take the chance to perfectly present the world of individual coloration!





# Fantastic Combination Possibilities for Versatile Oil Systems!

With CLASSIC BASEOIL COLOR, colorless or colored, the following system configurations are possible:

System configuration and care	System characteristics
<b>one-layer oil system</b> 1 x CLASSIC BASEOIL COLOR colorless or colored Care: BRILLIANCE OILCARE, BRILLIANCE AQUAOILCARE or BRILLIANCE FITPOLISH	low-solvent, natural open-pore impregnation/oiling
<b>two-layers oil system</b> 1 x CLASSIC BASEOIL COLOR colorless or colored + 1 x CLASSIC 100PROOIL Care: BRILLIANCE OILCARE, BRILLIANCE AQUAOILCARE, BRILLIANCE AQUASATINPOLISH or BRILLIANCE FITPOLISH	low-solvent, more saturated impregnation/oiling; open-pore, recommended for coloration
<b>multiple-layers oil/combination systems</b> 1 x CLASSIC BASEOIL COLOR colorless or colored + 2-3 x CLASSIC HARDOIL Care: BRILLIANCE EVERCLEAR	optional roller application as second layer layer-building, solvent based CLASSIC HARDOIL
1 x CLASSIC BASEOIL COLOR colorless or colored with CLASSIC PLUS + 2-3 x AQUASEAL ROYALMAT, AQUASEAL NATURALWHITE, AQUASEAL GREENSTAR, AQUASEAL CERAMICSTAR, AQUASEAL ECOGOLD or SOLVSEAL LT Export Extra Care: BRILLIANCE EVERCLEAR	combination system with oil character and matt look; finish applied with roller, surface easy-to-clean, various options

Spot removal, basic and intermediate cleaning	
The following products for spot removal and cleaning round off the complete care system:	
<b>BRILLIANCE BIOSOAP</b>	wood floor soap on the basis of natural, renewable raw materials
<b>BRILLIANCE NEUTRALCLEANER</b>	to use for cleaning
<b>BRILLIANCE CLEANER L94</b> Wachsentferner	water-based ... the basic cleaner used straight to remove used-up care-product films (BRILLIANCE EVERCLEAR) or usable as mop water additive
<b>BRILLIANCE CLEANER L91</b> Fußbodenreiniger	solvent-based, to use for basic and intermediate cleaning as well as for spot removal

Latest Technical Data Sheets and Safety Data Sheets are part and basis of this product information and need to be observed. These are available under [www.berger-seidle.de](http://www.berger-seidle.de) or alternatively with a sample and offer under:



**Berger-Seidle**

*...wood floors deserve the best!*

Berger-Seidle GmbH  
 Parkettlacke • Klebstoffe • Bauchemie  
 Maybachstr. 2 • 67269 Grünstadt / Weinstraße • Germany  
[www.berger-seidle.de](http://www.berger-seidle.de) • [info@berger-seidle.de](mailto:info@berger-seidle.de)  
 Tel: +49 63 59 / 80 05-300 • Fax: +49 63 59 / 80 05-171

